| Ref<br># | Hits | Search Query  | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|---|---|---------------------|---------|------------------|
| S1       | 989  | (711/103).CCLS.   | USPAT   | OR                  | OFF     | 2006/06/08 18:01 |
| S2       | 844  | (711/162).CCLS.   | USPAT   | OR                  | OFF     | 2006/05/15 14:31 |
| S3       | 534  | (711/165).CCLS.   | USPAT   | OR                  | OFF     | 2006/05/15 14:31 |
| S4       | 165  | (712/37).CCLS.  | USPAT   | OR                  | OFF     | 2006/05/15 14:31 |
| S5       | 176  | (712/38):CCLS.  | USPAT   | OR                  | OFF     | 2006/05/15 14:31 |
| S6       | 417  | (712/225).CCLS.   | USPAT   | OR                  | OFF     | 2006/05/15 14:31 |
| S7       | 296  | (712/300).CCLS.   | USPAT   | OR                  | OFF     | 2006/05/15 14:31 |
| S8       | 3957 | register\$1 same (point\$3 or<br>address\$2) same (copy\$3 or<br>copie\$1 or transfer\$5 or moving or<br>move\$1) same (direction\$1 or<br>source\$1 or destination\$1 or<br>target\$1) same (increment\$3 or<br>decrement\$3 or add\$3 or<br>subtract\$3 or count\$3)          | USPAT   | OR                  | OFF     | 2006/05/15 14:37 |
| S9       | 126  | (S1 or S2 or S3 or S4 or S5 or S6<br>or S7) and S8  | USPAT   | OR                  | OFF     | 2006/05/15 14:38 |
| S10      | 462  | ((register\$1 near3 (point\$3 or<br>address\$2)) near3 (copy\$3 or<br>copie\$1 or transfer\$5 or moving or<br>move\$1)) same (direction\$1 or<br>source\$1 or destination\$1 or<br>target\$1) same (increment\$3 or<br>decrement\$3 or add\$3 or<br>subtract\$3 or count\$3)    | USPAT   | OR                  | OFF     | 2006/05/15 15:06 |
| S11      | 19   | (S1 or S2 or S3 or S4 or S5 or S6<br>or S7) and S10   | USPAT   | OR                  | OFF     | 2006/05/15 14:38 |
| S12      | 118  | (((register\$1 near2 (point\$3 or<br>address\$2)) near3 (copy\$3 or<br>copie\$1 or transfer\$5 or moving or<br>move\$1))) near3 (direction\$1 or<br>source\$1 or destination\$1 or<br>target\$1) same (increment\$3 or<br>decrement\$3 or add\$3 or<br>subtract\$3 or count\$3) | USPAT   | OR ,                | OFF     | 2006/05/15 15:08 |
| S13      | 78   | (((register\$1 near2 (point\$3 or<br>address\$2)) near3 (copy\$3 or<br>copie\$1 or transfer\$5 or moving or<br>move\$1))) near3 (direction\$1 or<br>source\$1 or destination\$1 or<br>target\$1) same (increment\$3 or<br>decrement\$3 or add\$3 or<br>subtract\$3 or count\$3) | US-PGPUB;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2006/05/15 15:08 |

| S14 | 57   | (((register\$1 near2 (point\$3 or   | US-PGPUB;                                  | OR | OFF | 2006/05/15 16:12 |
|-----|------|---|--|----|-----|------------------|
| 314 | 37   | address\$2)) near3 (copy\$3 or copie\$1 or transfer\$5 or moving or move\$1))) near3 (direction\$1 or source\$1 or destination\$1 or target\$1) with (increment\$3 or decrement\$3 or add\$3 or subtract\$3 or count\$3)  | USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OK | Orr | 2000/03/13 10.12 |
| S15 | 73   | (((register\$1 near2 (point\$3 or<br>address\$2)) near3 (copy\$3 or<br>copie\$1 or transfer\$5 or moving or<br>move\$1))) near3 (direction\$1 or<br>source\$1 or destination\$1 or<br>target\$1) with (increment\$3 or<br>decrement\$3 or add\$3 or<br>subtract\$3 or count\$3) | USPAT                                      | OR | OFF | 2006/05/15 15:08 |
| S16 | 993  | (711/103).CCLS.   | USPAT                                      | OR | OFF | 2006/05/22 17:17 |
| S17 | 852  | (711/162).CCLS.   | USPAT                                      | OR | OFF | 2006/05/22 17:17 |
| S18 | 536  | (711/165).CCLS.   | USPAT                                      | OR | OFF | 2006/05/22 17:17 |
| S19 | 165  | (712/37):CCLS.  | USPAT                                      | OR | OFF | 2006/05/22 17:17 |
| S20 | 176  | (712/38).CCLS.  | USPAT                                      | OR | OFF | 2006/05/22 17:17 |
| S21 | 418  | (712/225).CCLS.   | USPAT                                      | OR | OFF | 2006/05/22 17:17 |
| S22 | 298  | (712/300).CCLS.   | USPAT                                      | OR | OFF | 2006/05/22 17:17 |
| S23 | 3959 | register\$1 same (point\$3 or<br>address\$2) same (copy\$3 or<br>copie\$1 or transfer\$5 or moving or<br>move\$1) same (direction\$1 or<br>source\$1 or destination\$1 or<br>target\$1) same (increment\$3 or<br>decrement\$3 or add\$3 or<br>subtract\$3 or count\$3)          | USPAT                                      | OR | OFF | 2006/05/22 17:19 |
| S24 | 126  | (S16 or S17 or S18 or S19 or S20 or S21 or S22) and S23   | USPAT                                      | OR | OFF | 2006/05/22 17:21 |
| S25 | 461  | ((register\$1 near3 (point\$3 or<br>address\$2)) near3 (copy\$3 or<br>copie\$1 or transfer\$5 or moving or<br>move\$1)) same (direction\$1 or<br>source\$1 or destination\$1 or<br>target\$1) same (increment\$3 or<br>decrement\$3 or add\$3 or<br>subtract\$3 or count\$3)    | USPAT                                      | OR | OFF | 2006/05/22 17:17 |
| S26 | 19   | (S16 or S17 or S18 or S19 or S20<br>or S21 or S22) and S25  | USPAT                                      | OR | OFF | 2006/05/22 17:17 |

| S27 | 118  | (((register\$1 near2 (point\$3 or<br>address\$2)) near3 (copy\$3 or<br>copie\$1 or transfer\$5 or moving or<br>move\$1))) near3 (direction\$1 or<br>source\$1 or destination\$1 or<br>target\$1) same (increment\$3 or<br>decrement\$3 or add\$3 or<br>subtract\$3 or count\$3) | USPAT   | OR | OFF | 2006/05/22 17:17 |
|-----|------|---|---|----|-----|------------------|
| S28 | 78   | (((register\$1 near2 (point\$3 or<br>address\$2)) near3 (copy\$3 or<br>copie\$1 or transfer\$5 or moving or<br>move\$1))) near3 (direction\$1 or<br>source\$1 or destination\$1 or<br>target\$1) same (increment\$3 or<br>decrement\$3 or add\$3 or<br>subtract\$3 or count\$3) | US-PGPUB;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/22 17:17 |
| S29 | 73   | (((register\$1 near2 (point\$3 or<br>address\$2)) near3 (copy\$3 or<br>copie\$1 or transfer\$5 or moving or<br>move\$1))) near3 (direction\$1 or<br>source\$1 or destination\$1 or<br>target\$1) with (increment\$3 or<br>decrement\$3 or add\$3 or<br>subtract\$3 or count\$3) | USPAT   | OR | OFF | 2006/05/22 17:17 |
| S30 | 57   | (((register\$1 near2 (point\$3 or<br>address\$2)) near3 (copy\$3 or<br>copie\$1 or transfer\$5 or moving or<br>move\$1))) near3 (direction\$1 or<br>source\$1 or destination\$1 or<br>target\$1) with (increment\$3 or<br>decrement\$3 or add\$3 or<br>subtract\$3 or count\$3) | US-PGPUB;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/22 17:17 |
| S31 | 2001 | register\$1 same (point\$3 or<br>address\$2) same ((copy\$3 or<br>copie\$1 or transfer\$5 or moving or<br>move\$1) with (direction\$1))   | USPAT   | OR | OFF | 2006/05/22 17:20 |
| S32 | 173  | register\$1 with (point\$3 or<br>address\$2) with ((copy\$3 or<br>copie\$1 or transfer\$5 or moving or<br>move\$1) near (direction\$1))   | USPAT   | OR | OFF | 2006/05/22 17:26 |
| S33 | 9    | (S16 or S17 or S18 or S19 or S20 or S21 or S22) and S32   | USPAT   | OR | OFF | 2006/05/22 17:27 |
| S34 | 422  | (point\$3 or address\$2) with<br>((copy\$3 or copie\$1 or transfer\$5<br>or moving or move\$1) near2<br>(direction\$1)) with (register\$1 or<br>indicator\$1 or indication\$1)  | USPAT   | OR | OFF | 2006/05/22 17:27 |
| S35 | 1    | (S16 or S17 or S18 or S19 or S20 or S21 or S22) and S34 not S33   | USPAT   | OR | OFF | 2006/05/22 17:27 |

| S36 | 50  | (point\$3 or address\$2) with ((copy\$3 or copie\$1 or transfer\$5 or moving or move\$1) near2 (direction\$1)) near3 (indicator\$1 or indication\$1)  | USPAT | OR | OFF | 2006/05/22 17:35 |
|-----|-----|---|-------|----|-----|------------------|
| 537 | 0   | (point\$3 or address\$2) with (copy\$3 or copie\$1 or transfer\$5 or moving or move\$1) with ((indicator\$1 or indication\$1) near3 ((first adj1 "to" adj1 second) or (second adj1 "to" adj1 first))) | USPAT | OR | OFF | 2006/05/22 17:37 |
| S40 | 1   | swap near2 value near2 byte\$1  | USPAT | OR | OFF | 2006/06/08 19:32 |
| S41 | 31  | address\$2 near2 (((4-byte or<br>four-byte) or ((four or "4") adj1<br>byte)) near2 align\$5)  | USPAT | OR | OFF | 2006/06/08 18:59 |
| S42 | 0   | writ\$3 near3 (burst\$3 near3<br>"from" near2 cache\$1)   | USPAT | OR | OFF | 2006/06/08 19:00 |
| S43 | 0   | writ\$3 with (burst\$3 near3 "from"<br>near2 cache\$1)  | USPAT | OR | OFF | 2006/06/08 19:00 |
| S44 | 127 | writ\$3 with (burst\$3 near3<br>cache\$1)   | USPAT | OR | OFF | 2006/06/08 19:00 |
| S45 | 37  | writ\$3 near2 (burst\$3 near2<br>cache\$1)  | USPAT | OR | OFF | 2006/06/08 19:02 |
| S46 | 0   | (writ\$3 near2 retr\$4) with (lock\$2 near2 reigster\$1)  | USPAT | OR | OFF | 2006/06/08 19:03 |
| S47 | 0   | (retr\$4) with (lock\$2 near2<br>reigster\$1)   | USPAT | OR | OFF | 2006/06/08 19:03 |
| S48 | 0   | (writ\$3 near2 retr\$4) with (lock\$2 near2 register\$1)  | USPAT | OR | OFF | 2006/06/08 19:03 |
| S49 | 2   | (retr\$4) with (lock\$2 near2 register\$1)  | USPAT | OR | OFF | 2006/06/08 19:04 |
| S50 | 58  | ((cop\$4 or transfer\$4) near2<br>between) with (firmware) with<br>(storage or store or memory or<br>cache)   | USPAT | OR | OFF | 2006/06/08 19:05 |
| S51 | 29  | (swap\$4 near2 (value\$1 or<br>flag\$1)) near2 byte\$1  | USPAT | OR | OFF | 2006/06/08 19:33 |